

Table x.

Best-fitting parameters for the participants of the var-var, var-fix and fix-var experiments

Experiment	Subject	Parameters			
		λ	β	γ	δ
var-var	101	0.37	0.52	0.55	0.40
	102	0.00	0.48	0.57	0.35
	103	0.30	-0.19	0.56	0.37
	104	0.00	0.78	0.27	0.26
	105	0.24	0.10	0.35	0.62
	106	0.47	0.83	0.36	0.26
	107	0.03	0.42	0.15	0.63
	108	0.35	0.17	0.63	0.32
	109	0.31	0.13	0.41	0.42
	110	0.23	-0.29	0.47	0.33
	111	0.00	0.62	0.21	0.37
	112	0.02	0.88	0.68	0.29
var-fix	mean	0.19	0.37	0.44	0.39
	201	0.47	1.49	0.51	0.27
	202	0.58	0.70	0.56	0.38
	203	0.62	0.55	0.34	0.48
	204	0.70	1.18	0.39	0.46
	205	0.40	0.76	0.37	0.63
	206	0.60	2.44	0.25	0.75
	207	0.69	0.15	0.62	0.37
	208	0.00	0.36	0.50	0.39
	209	0.00	1.35	0.05	0.15
	210	0.52	0.82	0.44	0.26
	211	0.32	0.16	0.82	0.15
fix-var	212	0.59	0.78	0.42	0.34
	mean	0.46	0.90	0.44	0.39
fix-var	301	0.00	1.05	0.13	0.20
	302	0.00	1.07	0.19	0.10
	303	1.00	1.01	0.41	0.10
	304	0.27	-0.05	0.58	0.37
	305	0.46	0.88	0.23	0.64
	306	1.00	-0.29	0.43	0.32
	307	0.26	0.26	0.35	0.55
	308	0.54	0.64	0.16	0.63
	309	0.58	0.53	0.16	0.51
	310	0.00	0.52	0.72	0.18
	311	0.65	1.19	0.28	0.60
	312	0.46	0.20	0.52	0.35
fix-var	mean	0.44	0.58	0.35	0.38

Table 2